Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CEREBROSPINAL MENINGITIS.

State Reports for August, 1916.

Place.	New cases reported.	Place.	New cases reported.
Massachusetts:		Wisconsin:	
Bristol County—		Brown County	1
Fall River	3	Buffalo County	2
Middlesex County—		Columbia County	1
Newton	2	Eau Claire County	1
Suffolk County—		Milwaukee County	4
Boston	1	Portage County	1
		Sauk County	1
Total	6	Sheboygan County	4
		Vernon County	1
		Total	16

City Reports for Week Ended September 2, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Baltimore, Md	1		Milwaukee, Wis	1	1
Bridgeport, Conn	3		Newton, Mass	1	
Buffalo, N. Y		1	New York, N. Y	5	1
Butte, Mont	1		Philadelphia, Pa	2	
Chicago, Ill	1		Providence, R. I	1	
Fall River, Mass	1		Springfield, Ill		1
Los Angeles, Cal	1		Stockton, Cal	1	

DIPHTHERIA.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 2628.

ERYSIPELAS.

City Reports for Week Ended September 2, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Chicago, Ill	7		Philadelphia, Pa	4	2
Cleveland, Ohio	2		Pittsburgh, Pa	3	
Memphis, Tenn	1		St. Louis, Mo	2	
Milwaukee, Wis	1	1	San Francisco, Cal	4	
Newark, N. J	2		Topeka, Kans	1	1
Omaha, Nebr	1		Williamsport, Pa	1	

LEPROSY.

Massachusetts—Boston.

During the month of August, 1916, a case of leprosy, in the person of M. A., age 20, male, unmarried, Cuban, was reported at Boston, Mass. The patient was born in Habana, Cuba; came to the United States in June, 1912; but returned to Habana, Cuba, for one year, June, 1914, to June, 1915.

City Report for Week Ended September 2, 1916.

During the week ended September 2, 1916, a case of leprosy was reported at San Francisco, Cal.

MALARIA.

Massachusetts Report for August, 1916.

Place.	New cases reported.	Place.	New cases reported.
Massachusetts:		Massachusetts—Continued.	
Barnstable County—		Norfolk County—	3
Barnstable	1	Dedham	1
Bristol County—		Walpole	
Mansfield	2	Suffolk County—	1
Middlesex County—		Boston	
Waltham	2		11
Watertown	1	Total	

City Reports for Week Ended September 2, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Berkeley, Cal	3		Mobile, Ala		1
Birmingham, Ala	1	1	Newark, N. J	3	
Charleston, S. C		1	New Orleans, La	9	1
Little Rock, Ark	1		Oklahoma, Okla		1
Long Beach, Cal	1		Pittsburgh, Pa		1
Memphis, Tenn		3	Stockton, Cal	1	

MEASLES.

Washington—Seattle.

Surg. Lloyd reported that during the two weeks ended September 9, 1916, 7 cases of measles were notified at Seattle, Wash.; making a total of 5,398 cases, with 9 deaths, since February 15, 1916.

See also Diphtheria, measles, scarlet fever, and tuberculosis, page 2628.

PELLAGRA.

State Reports for August, 1916.

Place.	New cases reported.	Place.	New cases reported.
District of Columbia	1	Massachusetts—Continued.	
		Worcester County—	
Massachusetts:		Westboro	1
Middlesex County—		Worcester	1
Waltham	1		
Hampden County—		Total	5
Springfield	1		
Suffolk County—			
Boston	1		

City Reports for Week Ended September 2, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Austin, Tex	2		Mobile, Ala	1	2
Birmingham, Ala		1	Nashville, Tenn	23	1
Charleston, S. C		1	Oklahoma, Okla		1
Lynn, Mass	1		Wilmington, N. C		1
Memphis, Tenn	1	1	Worcester, Mass	1	

PLAGUE.

Louisiana—New Orleans—Plague Rats Found.

Passed Asst. Surg. Simpson reported that rats captured in New Orleans, La., have been proved positive for plague infection as follows: A rat captured July 26, 1916, at 842 Canal Street was proved positive September 8, 1916; a rat captured August 15, 1916, at 133 Camp Street was proved positive September 10; a rat captured August 23, 1916, at 1035 Baronne Street was proved positive September 10; a rat captured August 28, 1916, at Marigny and Frenchmen Streets was proved positive September 15, 1916.

PNEUMONIA.

City Reports for Week Ended September 2, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Beaver Falls, Pa	2		New Castle, Pa	1	
Berkeley, Cal	1	1	Philadelphia, Pa	21	13
Chicago, Ill	68	30	Pittsburgh, Pa	4	10
Cleveland, Ohio	5	6	Rochester, N. Y	1	2
Detroit, Mich	2	8	San Francisco, Cal	7	5
Dubuque, Iowa	2	2	Schenectady, N. Y	1	1
Los Angeles, Cal	7	3	Stockton, Cal	1	
Newark, N. J	10	1	York, Pa	1	

POLIOMYELITIS (INFANTILE PARALYSIS).

Cases Reported by States.

The following tabular statement shows the numbers of cases of poliomyelitis reported to the United States Public Health Service by State Health Authorities, during the periods shown:

		Cases reported.
Alabama:		
July 1 to Aug. 31		99
Arizona:		
July 1		1
Arkansas:		
July 1 to 31		5
California:		
July 1 to 31		12
Colorado:		
Jan. 1 to Aug. 17		4
Connecticut:		
July 2 to 29	143	
July 30 to Aug. 26	280	
Aug. 27 to Sept. 16	219	
		642
District of Columbia:		
July 1 to 31	8	
Aug. 1 to 31	18	
Sept. 1 to 18	5	
		31
Delaware:		
Reported Aug. 22		5
Florida:		
July 30 to Aug. 5		3
Idaho:		
July 10 to Aug. 9		2
Illinois:		
July 1 to Sept. 16 (July 1 to Aug. 31, 415)		563
Indiana:		
July 1 to 31	27	
Aug. 1 to Sept. 2	36	
Sept. 3 to 16	17	
		80
Iowa:		
July 1 to 31		30
Kansas:		
July 1 to 31	14	
Aug. 1 to Sept. 13	33	
		47
Kentucky:		
Aug. 14 to 24		2
Louisiana:		
July 1 to 31	19	
Aug. 1 to 31	6	
		25
Maine:		
Jan. 1 to Aug. 21		14
Maryland:		
July 1 to 31	10	
Aug. 1 to 31	64	
Sept. 1 to 19	57	
		131
Massachusetts:		
July 1 to 31	107	
Aug. 1 to 31	253	
		360
Michigan:		
July 1 to 31	51	
Aug. 1 to 31	163	
		214
Minnesota:		
July 1 to 31	142	
Aug. 1 to 31	373	
Sept. 1 to 16	109	
		624
Mississippi:		
July 1 to 31		57
Montana:		
July 1 to 31	11	
Reported Aug. 8	7	
Aug. 9 to 14	7	
Aug. 16 to 22	6	
Aug. 20 to 26	14	
Aug. 27 to Sept. 2	4	
Reported Sept. 12	9	
Reported Sept. 18	7	
		65
Nebraska:		
Reported July 11		2
New Jersey:		
July 1 to 31	640	
Aug. 1 to 31	2,040	
Sept. 1 to 19	696	
		3,376
New York (exclusive of New York City):		
Jan. 1 to Sept. 9 (Aug. 1 to Sept. 9, 1,566)		2,592
North Carolina:		
July 23 to Aug. 23		10
North Dakota:		
Aug. 1 to 31		3
Ohio:		
July 1 to 31	94	
Aug. 1 to 31	168	
		262
Oregon:		
Reported May 14		1
Pennsylvania:		
July 1 to Aug. 11		273
Rhode Island:		
Jan. 1 to July 31		56
South Carolina:		
July 1 to 31	20	
Aug. 1 to 31	58	
		78
Tennessee:		
July 1 to 31		18
Texas:		
Jan. 1 to Aug. 10		30
Vermont:		
July 1 to 31	1	
Aug. 1 to 31	8	
		9
Virginia:		
July 1 to 31	24	
Aug. 1 to 26	14	
		38
Washington:		
July 1 to 31		5
West Virginia:		
Aug. 1 to Sept. 16		16
Wisconsin:		
July 1 to 31	20	
Aug. 1 to 31	173	
		193

City Reports—July 2 to September 16, 1916.

The following table shows the number of cases of poliomyelitis reported to the United States Public Health Service by the health departments of cities which reported five or more cases in any one week during July, August, and September, 1916:

City.	Cases reported for week ended—										
	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.
Atlantic City, N. J.						7	2	5	5		2
Baltimore, Md.	1		2	1	1	5	4	9	16	12	13
Bayonne, N. J.		1		1	4	12	14	4	1	5	1
Birmingham, Ala.	1		1	3	6	1		2			
Boston, Mass.	1		3	4	4	8	4	8	13	22	38
Bridgeport, Conn.			4	5	6	6		3	3		
Camden, N. J.				2	5	11	13	6	9	5	7
Chicago, Ill.	2	4	10	13	15	23	25	22	24	25	21
Cincinnati, Ohio		1	1	1	2	2	4	5	2	3	6
Cleveland, Ohio	4	4	2	1	1		1	2	5	2	3
Detroit, Mich.		2	1	3	4	1		6	1	4	3
East Orange, N. J.			1	3	7	2	8	10	6	10	3
Flint, Mich.				4	1	3	3	8		4	
Harrison, N. J.		1	1			10	10	6			
Hartford, Conn.		2	1	3	3			4	6	7	5
Haverhill, Mass.	1						1	5		1	
Indianapolis, Ind.		1	1		2					5	4
Jersey City, N. J.	4	5	8	17	27	22	27	16	22	9	6
Kearny, N. J.		1		3	6	7	4	5			3
Long Branch, N. J.				1	1	1	1	2	8		4
Manchester, N. H.					1				3	5	1
Minneapolis, Minn.					8	8	12	14	12	4	5
Montclair, N. J.			1	1		4	5	2	1		
Newark, N. J.	14	65		137	247	260	230	150	89	45	
Newburyport, Mass.								1	2	5	1
New York, N. Y.	535	933	741	912	1,117	1,151	865	707	441	352	252
North Adams, Mass.			4		1			5	2	2	1
Northampton, Mass.					1		5	2	1	1	
Orange, N. J.		3	2	10	15	9	8	10	15	4	1
Perth Amboy, N. J.	1	3	2	4	5	4	2	3	1	3	2
Philadelphia, Pa.	2		9	16	31	86	106	132	120	125	85
Pittsburgh, Pa.	1	1	1	3	1	5	1	3	5	5	
Pittsfield, Mass.		1	1			1	2	7	2	10	8
Plainfield, N. J.			2	3		2	6	10	1	6	4
Providence, R. I.	1	2	1	3	3	4	3	2	10	7	10
St. Louis, Mo.	1	1		2				5	2		
St. Paul, Minn.	1			5	13	6	9	6	8	7	
Somerville, Mass.				1			6	1	2	1	7
Springfield, Mass.				2	2	2		5	5	9	12
Syracuse, N. Y.					9	3	23	34	33	49	
Toledo, Ohio	2	9	8	11	11	16	10	10	7	11	1
Trenton, N. J.		2	1	1		4	7	11	7	11	14
Washington, D. C.		2	3	2	2	3	5	7	2	4	
West Hoboken, N. J.	3	1	3	3	5	9	3	7			

Connecticut.

The State health officer of Connecticut reported that from September 10 to 16, 1916, inclusive, 59 cases of poliomyelitis were reported to the Connecticut State Board of Health. The total number of cases notified in the State of Connecticut from July 2 to September 16, 1916, inclusive, was 642.

Indiana.

The epidemiologist of the State Board of Health of Indiana reported that during the week ended September 16, 1916, 8 cases of poliomyelitis were reported to the Indiana State Board of Health, making a

total of 80 cases notified in Indiana from July 1 to September 16, 1916.

Kansas.

Collaborating Epidemiologist Crumbine reported that from July 1 to September 13, 1916, 54 cases of poliomyelitis were reported to the State Board of Health of Kansas. Of these 36 cases were apparently authentic; the diagnosis was doubtful in 11 cases, and in 7 cases the diagnosis was recalled.

Maryland.

The State health officer of Maryland reported that from September 12 to 19, 1916, inclusive, 28 cases of poliomyelitis were reported to the Maryland State Board of Health. From July 1 to September 19, 1916, 131 cases were notified in Maryland.

Baltimore.—Surg. Vogel reported that on September 18 and 19, 1916, six cases of poliomyelitis were notified in Baltimore, Md.

Minnesota.

Collaborating Epidemiologist Bracken reported that during the week ended September 16, 1916, 50 cases of poliomyelitis, with 6 deaths, were reported to the Minnesota State Board of Health. The total since January 1, 1916, is 631 cases, with 64 deaths.

Montana.

The State health officer of Montana reported September 18 that 3 new cases of poliomyelitis had been notified in Billings, 3 in Carbon County, and 1 in Columbus, Mont.

New Jersey.

The State health officer of New Jersey reported that from September 15 to 19, 1916, inclusive, 146 cases of poliomyelitis were reported to the New Jersey State Board of Health. The total number of cases notified in the State of New Jersey from July 1 to September 19, 1916, inclusive, was 3,376.

New York.

New York City.—Surg. Lavinder reported September 15: New cases, 42; deaths, 10. September 16: New cases, 41; deaths, 13. September 17: New cases, 19; deaths, 9. September 18: New cases, 15; deaths, 6. September 19: New cases, 35; deaths, 10. September 20: New cases, 18; deaths, 10. Approximate corrected totals: Cases, 8,816; deaths, 2,207.

Pennsylvania—Philadelphia.

Surg. Foster reported that from September 17 to 19, inclusive, 31 cases of poliomyelitis were notified in Philadelphia, Pa.

Rhode Island.

Passed Asst. Surg. Marshall reported that during the week ended September 16, 1916, 13 cases of poliomyelitis were notified in Rhode Island as follows: Bristol, 1 case; Portsmouth, 1; Cranston, 2; Providence, 8; Scituate, 1.

West Virginia.

The assistant State health commissioner of West Virginia reported that during the week ended September 16, 1916, 1 case of poliomyelitis was reported to the State Board of Health of West Virginia, the case having been notified at Fairmont, Marion County.

Vermont Report for July, 1916.

During the month of July, 1916, a case of poliomyelitis was reported in Underhill, Chittenden County, Vt.

State Reports for August, 1916.

Place.	New cases reported.
District of Columbia	18
Massachusetts:	
Barnstable County—	
Bourne	3
Orleans	1
Yarmouth	1
Berkshire County—	
Adams	4
North Adams	20
Pittsfield	10
Savoy	1
Bristol County—	
Dartmouth	1
Fairhaven	1
Fall River	3
New Bedford	4
Taunton	1
Essex County—	
Amesbury	10
Beverly	2
Haverhill	6
Lawrence	3
Lynn	1
Peabody	2
Salem	5
Georgetown	1
Newburyport	2
Franklin County—	
Erving	3
Greenfield	2
Montague	6
Hampden County—	
Agawam	1
East Longmeadow	3
Holyoke	7
Southwick	1
Springfield	17
West Springfield	1
Westfield	3
Hampshire County—	
Easthampton	5
Hadley	3
Northampton	4
Middlesex County—	
Cambridge	6
Framingham	1
Littleton	1
Lowell	4
Massachusetts—Continued.	
Middlesex County—Continued.	
Malden	2
Medford	2
Newton	3
Somerville	8
Reading	1
Norfolk County—	
Braintree	2
Brookline	1
Canton	1
Milton	3
Norwood	1
Stoughton	3
Plymouth County—	
Abington	1
Plympton	1
Wareham	4
Whitman	1
Suffolk County—	
Boston	34
Chelsea	1
Revere	3
Worcester County—	
Blackstone	1
Douglas	1
Dudley	3
Fitchburg	4
Hopedale	1
Barre	1
North Brookfield	1
Leominster	1
Southbridge	4
Sturbridge	1
Uxbridge	2
Webster	1
West Boylston	1
Worcester	5
Milford	1
Lancaster	1
Charlton	2
Total	253
Michigan:	
Arenac County—	
Mason Township	2
Moffitt Township	1

POLIOMYELITIS—Continued.

State Reports for August, 1916—Continued.

Place.	New cases reported.
Michigan—Continued.	
Bay County—	
Fraser Township	2
Merritt Township	1
Portsmouth Township	1
Essexville	1
Bay City	16
Berrien County—	
Watervliet Township	1
Calhoun County—	
Clarence Township	1
Leroy Township	1
Marengo Township	1
Sheridan Township	1
Battle Creek	2
Chippewa County—	
Raber Township	1
Clinton County—	
St. Johns	1
Eaton County—	
Kalamo Township	1
Genesee County—	
Atlas Township	1
Mundy Township	1
Flint	20
Gladwin County—	
Gladwin Township	1
Grout Township	1
Gladwin	1
Grand Traverse County—	
Traverse City	1
Hillsdale County—	
Pittsford Township	1
Huron County—	
Brookfield Township	1
Ingham County—	
Wheatfield Township	1
Williamston Township	1
Webberville	1
Lansing	7
Iosco County—	
Grant Township	1
Iron County—	
Iron River	1
Isabella County—	
Mount Pleasant	1
Jackson County—	
Jackson	3
Kalamazoo County—	
Kalamazoo	4
Kalkaska County—	
Kalkaska	1
Kent County—	
Grand Rapids	8
Lapeer County—	
Arcada Township	1
Lapeer	1
Lenawee County—	
Fairfield Township	2
Franklin Township	1
Madison Township	1
Medina Township	1
Raisin Township	1
Rica Township	1
Rome Township	1
Seneca Township	1
Tecumseh Township	1
Blissfield	2
Adrian	4
Midland County—	
Lee Township	1
Missaukee County—	
Aetna Township	1
West Branch Township	1
Monroe County—	
Erie Township	1
Montcalm County—	
Howard City	1
Greenville	1
Muskegon County—	
Muskegon Heights	1
Michigan—Continued.	
Oakland County—	
Lyon Township	1
Troy Township	1
Waterford Township	1
Pontiac	1
Ogemaw County—	
Logan Township	1
Osceola County—	
Le Roy	1
Roscommon County—	
Nester Township	1
Saginaw County—	
Chapin Township	5
Fremont Township	1
James Township	1
Pillsbury Township	1
Thomastown Township	1
St. Charles	1
Saginaw	5
St. Clair County—	
Kimball Township	1
Sanilac County—	
Marion Township	1
Deckerville	1
Forestville	1
Sandusky	1
Shiawassee County—	
Fairfield Township	1
Tuscola County—	
Akron Township	1
Watertown Township	1
Washtenaw County—	
Lodi Township	1
Wayne County—	
Livonia Township	1
Highland Park	2
Oakwood	1
Detroit	11
Wexford County—	
Cadillac	1
Total	163
North Dakota:	
Bottineau County	3
Vermont:	
Bennington County	4
Caledonia County	1
Rutland County	2
Woodstock	1
Total	8
Wisconsin:	
Ashland County	1
Barron County	1
Brown County	11
Buffalo County	3
Burnett County	1
Calumet County	1
Dane County	5
Door County	3
Douglas County	1
Dunn County	6
Eau Claire County	5
Fond du Lac County	2
Grant County	1
Iowa County	2
Jefferson County	2
Kenosha County	3
Kewaunee County	3
La Crosse County	2
Langlade County	4
Manitowoc County	13
Marathon County	11
Marinette County	3
Milwaukee County	8
Oconto County	3
Outagamie County	13

POLIOMYELITIS—Continued.

State Reports for August, 1916—Continued.

Place.	New cases reported.	Place.	New cases reported.
Wisconsin—Continued.		Wisconsin—Continued.	
Pepin County	4	Vernon County	1
Pierce County	11	Walworth County	1
Polk County	13	Washington County	2
Racine County	2	Waukesha County	1
Rock County	2	Waupaca County	4
Rusk County	1	Waushara County	2
St. Croix County	4	Winnebago County	1
Shawano County	10	Wood County	3
Sawyer County	1		
Sheboygan County	1	Total	173
Trempealeau County	1		

City Reports for Week Ended September 2, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Akron, Ohio	3		Newark, N. J.	89	24
Atlantic City, N. J.	5		New Bedford, Mass.	2	1
Auburn, N. Y.	1	1	New Britain, Conn.	2	
Baltimore, Md.	16	3	Newburyport, Mass.	2	1
Bayonne, N. J.	1		Newport, R. I.	1	1
Binghamton, N. Y.	1		New York, N. Y.	441	152
Boston, Mass.	13	7	Norristown, Pa.	1	
Bridgeport, Conn.	3		North Adams, Mass.	2	2
Buffalo, N. Y.	1		Northamptom, Mass.	1	1
Cambridge, Mass.	1		Perth Amboy, N. J.	1	
Camden, N. J.	9		Philadelphia, Pa.	120	43
Chicago, Ill.	24	3	Pittsburgh, Pa.	5	2
Cincinnati, Ohio	2		Pittsfield, Mass.	2	1
Cleveland, Ohio	5		Plainfield, N. J.	1	
Cumberland, Md.	1		Providence, R. I.	10	2
Detroit, Mich.	1	1	Orange, N. J.	15	3
East Orange, N. J.	6		Quincy, Ill.	1	
El Paso, Tex.	3		Richmond, Va.	2	1
Fitchburg, Mass.	1		Saginaw, Mich.	3	
Grand Rapids, Mich.	1		St. Louis, Mo.	2	
Hartford, Conn.	6	4	St. Paul, Minn.	8	2
Jersey City, N. J.	22	2	Salt Lake City, Utah	1	
Kansas City, Kans.	1		San Francisco, Cal.	2	1
Kenosha, Wis.	2	1	Sioux City, Iowa	1	
La Crosse, Wis.	2		Somerville, Mass.	2	
Lancaster, Pa.	2		Springfield, Mass.	5	3
Long Branch, N. J.	8		Syracuse, N. Y.	33	14
Lowell, Mass.	2	1	Taunton, Mass.	1	
Lynchburg, Va.		1	Toledo, Ohio	7	2
Lynn, Mass.	2		Trenton, N. J.	7	5
Manchester, N. H.	3	1	Troy, N. Y.	3	2
Marinette, Wis.	1		Washington, D. C.	2	1
Medford, Mass.	1		Watertown, N. Y.	1	1
Memphis, Tenn.	2		West Hoboken, N. J.		1
Minneapolis, Minn.	12		Wilmington, Del.	3	2
Mobile, Ala.	1		Wilmington, N. C.	1	
Montclair, N. J.	1		Worcester, Mass.	3	
Morristown, N. J.	1				

RABIES IN MAN.

Idaho—Soda Springs.

The State health officer of Idaho reported that a death from rabies occurred September 8, 1916, at Soda Springs, Idaho.

City Report for Week Ended September 2, 1916.

During the week ended September 2, 1916, a case of rabies in man was reported at Fall River, Mass.

RABIES IN ANIMALS.

City Reports for Week Ended September 2, 1916.

During the week ended September 2, 1916, a case of rabies in animals was reported at Detroit, Mich., and two cases at Toledo, Ohio.

SCARLET FEVER.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 2623.

SMALLPOX.

Minnesota.

Collaborating Epidemiologist Bracken reported by telegraph that during the week ended September 16, 1916, one new focus of smallpox infection was reported in Minnesota, 2 cases of the disease having been notified in the village of Gary, Norman County, Minn.

State Reports for August, 1916.

Place.	New cases reported.	Deaths.	Vaccination history of cases.			
			Number vaccinated within 7 years preceding attack.	Number last vaccinated more than 7 years preceding attack.	Number never successfully vaccinated.	Vaccination history not obtained or uncertain.
Michigan:						
Allegan County—						
Martin Township	2				1	1
Ingham County—						
Lansing	2				2	
Lenawee County—						
Rome Township	1				1	
Hudson	1			1		
Presque Isle County—						
Belknapp Township	2				2	
St. Clair County—						
Wales Township	2				2	
Wayne County—						
Detroit	10		2		8	
Total	20		2	1	16	1
Wisconsin:						
Columbia County	9		3		6	
Dane County	1		1			
Door County	1				1	
Douglas County	2					2
La Crosse County	1				1	
Marathon County	3				1	2
Milwaukee County	[1] 2					
Waushara County	2				2	
Total	21		4		11	4

[1] No history given.

Miscellaneous State Reports.

Place.	Cases.	Deaths.
District of Columbia (Aug. 1-31)	1	
North Dakota (Aug. 1-31):		
Emmons County	1	
Ransom County	4	
Stutsman County	2	
Total	7	
Vermont (July 1-31):		
Caledonia County	9	
Orleans County	2	
Total	11	
Vermont (Aug. 1-31):		
Caledonia County	1	

SMALLPOX—Continued.

City Reports for Week Ended September 2, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Cleveland, Ohio	2	.....	Portland, Oreg	1	.....
El Paso, Tex	1	.....	St. Joseph, Mo	1	.....
Lorain, Ohio	1	.....	San Francisco, Cal	1	.....
Los Angeles, Cal	1	.....	Toledo, Ohio	1	.....
Omaha, Nebr	1	.....	Washington, D. C	1	.....

TETANUS.

City Reports for Week Ended September 2, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Austin, Tex	1	1	Jersey City, N. J	.....	1
Boston, Mass	.....	1	La Crosse, Wis	1	.....
Chicago, Ill	1	.....	Los Angeles, Cal	2	2
Denver, Colo	.....	1	New York, N. Y	1	.....

TUBERCULOSIS.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 2628.

TYPHOID FEVER.

State Reports for August, 1916.

Place.	New cases reported.
District of Columbia	80
Massachusetts:	
Barnstable County—	
Barnstable	1
Dennis	2
Cummington	1
Berkshire County—	
Adams	3
Great Barrington	2
Lenox	1
North Adams	6
Pittsfield	3
Bristol County—	
Attleboro	3
Fairhaven	1
Fall River	41
New Bedford	4
Somerset	1
Taunton	2
Essex County—	
Andover	1
Beverly	6
Georgetown	1
Gloucester	6
Haverhill	2
Ipswich	1
Lawrence	11
Lynn	29
Newburyport	1
Peabody	1
Rockport	1
Saugus	2
Hampden County—	
Chicopee	3
Ludlow	1
Russell	1
Springfield	8
Westfield	2
West Springfield	2
Massachusetts—Continued.	
Hampshire County—	
Easthampton	1
Northampton	2
Middlesex County—	
Belmont	1
Cambridge	4
Everett	1
Lowell	17
Malden	1
Medford	1
Newton	6
Somerville	7
Waltham	2
Watertown	1
Winchester	2
Wakefield	2
Nantucket County—	
Nantucket	6
Norfolk County—	
Braintree	1
Brookline	1
Foxborough	1
Medfield	1
Milton	1
Quincy	2
Plymouth County—	
Bridgewater	2
Brockton	1
Hingham	1
Marshfield	2
Whitman	3
Plymouth	3
Suffolk County—	
Boston	11
Chelsea	10
Revere	1
Worcester County—	
Auburn	1
Blackstone	1

TYPHOID FEVER—Continued.

State Reports for August, 1916—Continued.

Place.	New cases reported.
Massachusetts—Continued.	
Worcester County—Continued.	
Fitchburg	3
Milford	2
Uxbridge	1
Webster	1
Worcester	9
Holden	2
Total	265
Michigan:	
Alpena County—	
Alpena	3
Arenac County—	
Clayton Township	1
Mason Township	1
Barry County—	
Irving Township	1
Hastings	1
Bay County—	
Gibson Township	1
Bay City	14
Benzie County—	
Frankfort	5
Berrien County—	
Buchanan Township	1
Niles Township	2
Calhoun County—	
Marengo Township	1
Tekonsha	1
Battle Creek	1
Charlevoix County—	
Boyne City	1
Chippewa County—	
Bruce Township	1
Saint Ste. Marie	6
Clare County—	
Garfield Township	1
Delta County—	
Escanaba	2
Eaton County—	
Benton Township	1
Grand Ledge	1
Genesee County—	
Gaines Township	1
Mount Morris	1
Flint	35
Gladwin County—	
Beaverton	1
Gladwin	1
Grand Traverse County—	
Traverse City	1
Gratiot County—	
Bethany Township	1
Ithaca	1
Gogebic County—	
Ironwood	1
Hillsdale County—	
Wright Township	1
Hillsdale	1
Houghton County—	
Calumet Township	1
Huron County—	
Dwight Township	2
Ingham County—	
Aurelius Township	1
Locke Township	5
Lansing Township	3
Lansing	51
Ionia County—	
Lyons Township	2
Lyons	2
Isabella County—	
Gilmore Township	1
Lincoln Township	1
Vernon Township	1
Shepherd	1
Mount Pleasant	2
Michigan—Continued.	
Jackson County—	
Leoni Township	1
Jackson	5
Kalamazoo County—	
Portage Township	2
Kalamazoo	3
Kalkaska County—	
Orange Township	1
Rapid River Township	1
Kent County—	
Caledonia Township	1
Cascade Township	1
Grand Rapids	4
Lapeer County—	
Rich Township	1
Livingston County—	
Hamburg Township	1
Osceola Township	1
Howell	1
Macomb County—	
Mount Clemens	1
Marquette County—	
Marquette	3
Negaunee	3
Manistee County—	
Dickson Township	1
Copemish	2
Manistee	2
Monroe County—	
Whiteford Township	3
Montcalm County—	
Greenville	2
Stanton	1
Montmorency County—	
Briley Township	2
Oakland County—	
Avon Township	1
West Bloomfield Township	1
Farmington	1
Orion	1
Rochester	1
Pontiac	1
Oceana County—	
Shelby	1
Ontonagon County—	
Rockland Township	1
Otsego County—	
Gaylord	5
Ottawa County—	
Wright Township	1
Saginaw County—	
Frankenmuth Township	1
Saginaw Township	2
Taymouth Township	1
Thomastown Township	1
Saginaw	13
St. Clair County—	
Marine City	1
Sanilac County—	
Sandusky	1
Shiawassee County—	
Durand	2
Van Buren County—	
Decatur	14
South Haven	2
Washtenaw County—	
Pittsfield Township	2
Ann Arbor	58
Wayne County—	
Huron Township	1
Grosse Point Farm	1
Hamtramck	2
Highland Park	2
Oakwood	1
Northville	1
Detroit	40
Wyandotte	3

TYPHOID FEVER—Continued.

State Reports for August, 1916—Continued.

Place.	New cases reported.
Michigan—Continued.	
Wexford County—	
Harrietta	2
Manton	1
Cadillac	2
Total	375
North Dakota:	
Burleigh County	13
Emmons County	1
Nelson County	5
Ransom County	3
Richland County	1
Stark County	1
Stutsman County	1
Walsh County	8
Ward County	1
Wells County	1
Williams County	1
Total	36
Vermont:	
Addison County	1
Caledonia County	1
Chittenden County	2
Orleans County	1
Washington County	2
Windham County	1
Windsor County	2
Total	10
Wisconsin:	
Ashland County	1
Brown County	1
Buffalo County	1
Calumet County	1
Clark County	2
Crawford County	2
Dane County	1
Door County	1
Douglas County	2
Eau Claire County	2
Grant County	1
Iron County	8
Juneau County	1
Kenosha County	5
Kewaunee County	23
Manitowoc County	4
Marathon County	1
Marinette County	2
Milwaukee County	21
Oconto County	1
Oneida County	1
Rock County	1
Rusk County	2
Sheboygan County	5
Vilas County	1
Waukesha County	1
Winnebago County	3
Wood County	1
Total	96

Vermont Report for July, 1916.

Place.	New cases reported.
Vermont:	
Addison County	1
Caledonia County	1
Franklin County	3
Vermont—Continued.	
Orange County	1
Orleans County	2
Total	8

City Reports for Week Ended September 2, 1916.

Place.	Cases.	Deaths.
Ann Arbor, Mich	15	2
Atlantic City, N. J	5	.....
Austin, Tex	1	.....
Baltimore, Md	76	4
Beaver Falls, Pa	2	.....
Birmingham, Ala	9	1
Boston, Mass	7	.....
Bridgeport, Conn	2	2
Brockton, Mass	2	.....
Buffalo, N. Y	12	1
Butte, Mont	4	1
Cairo, Ill	.....	1
Camden, N. J	5	.....
Charleston, S. C	5	.....
Chelsea, Mass	2	.....
Chicago, Ill	33	6
Chicopee, Mass	1	.....
Cincinnati, Ohio	3	.....
Cleveland, Ohio	5	.....
Coffeyville, Kans	6	1
Columbus, Ohio	5	.....
Cumberland, Md	3	.....
Danville, Ill	4	1
Denver, Colo	4	2
Detroit, Mich	7	1
Dubque, Iowa	1	1
Duluth, Minn	3	.....
Elgin, Ill	43	3
El Paso, Tex	1	.....
Everett, Mass	1	.....
Everett, Wash	1	.....
Fall River, Mass	14	.....
Fitchburg, Mass	1	.....
Fort Worth, Tex	4	.....
Galveston, Tex	2	1
Grand Rapids, Mich	1	.....
Harrisburg, Pa	25	.....
Hartford, Conn	3	.....

TYPHOID FEVER—Continued.

City Reports for Week Ended September 2, 1916—Continued.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Indianapolis, Ind	119		Northampton, Mass	2	1
Jersey City, N. J	2		Omaha, Nebr	1	
Johnstown, Pa	7	1	Philadelphia, Pa	40	3
Kalamazoo, Mich	3		Pittsfield, Mass	1	
Kansas City, Kans	1		Portland, Me	10	
Kansas City, Mo	4	1	Portland, Oreg	1	
Kenosha, Wis	1		Providence, R. I	1	
Lawrence, Mass	1	1	Richmond, Va	3	4
Lexington, Ky	5	1	Roanoke, Va	10	1
Lima, Ohio	2		Rochester, N. Y	1	
Lincoln, Nebr	1		Rockford, Ill	2	
Little Rock, Ark	2		Sacramento, Cal	1	
Long Beach, Cal	2		Saginaw, Mich	5	
Long Branch, N. J	2		St. Joseph, Mo	2	
Lorain, Ohio	1		St. Louis, Mo	21	4
Los Angeles, Cal	3		St. Paul, Minn	2	1
Lowell, Mass	5		Salt Lake City, Utah	8	
Lynchburg, Va	9	1	Sandusky, Ohio	1	
Lynn, Mass	52		San Francisco, Cal	3	
Malden, Mass	1		South Bend, Ind	2	
Melrose, Mass	1		Springfield, Mass	3	1
Memphis, Tenn	8	3	Springfield, Ohio	1	1
Milwaukee, Wis	6		Syracuse, N. Y	1	
Minneapolis, Minn	8		Toledo, Ohio	19	3
Mobile, Ala	3		Topeka, Kans	4	
Muscatine, Iowa	1		Trenton, N. J	3	
Nashville, Tenn	8		Washington, D. C	20	
Newark, N. J	5	1	Watertown, N. Y	4	
New Bedford, Mass	1		Wheeling, W. Va	3	
New Castle, Pa	4		Wilkes-Barre, Pa	2	1
New Haven, Conn	4		Wilkinsburg, Pa	1	
New Orleans, La	4	1	Williamsport, Pa	1	
Newport, R. I	1		Wilmington, Del	3	
Newton, Mass	5		Wilmington, N. C		1
New York, N. Y	106	9	Worcester, Mass	2	
Norristown, Pa	1		York, Pa	1	
North Adams, Mass		1	Zanesville, Ohio	2	1

TYPHUS FEVER.

California—Los Angeles, Bakersfield, Hanford.

The State health officer of California reported September 14 that a case of typhus fever had been notified in Los Angeles, Cal., in a section laborer who came from Kingman, Ariz.

The assistant director of the bureau of communicable diseases of the State Board of Health of California reported by telegraph September 18 that a case of typhus fever existed at Bakersfield, Cal., in a Mexican who came from Mexico 15 days prior to that date. He also reported 3 cases which were suspected to be typhus fever in Hanford, Cal.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

State Reports for August, 1916.

Place.	Cases reported.			Place.	Cases reported.		
	Diphtheria.	Measles.	Scarlet fever.		Diphtheria.	Measles.	Scarlet fever.
District of Columbia	17	62	22	North Dakota	25	35	13
Massachusetts	460	595	178	Vermont	19	96	21
Michigan	329	97	152	Wisconsin	259	120	121

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Contd.

Vermont Report for July, 1916.

During the month of July, 1916, 19 cases of diphtheria, 201 cases of measles, and 33 cases of scarlet fever were reported in Vermont.

City Reports for Week Ended Sept. 2, 1916.

City.	Population as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants:										
Baltimore, Md	584,605	166	8	2	2	.....	6	.....	42	20
Boston, Mass	745,139	247	32	2	19	1	7	.....	62	22
Chicago, Ill	2,447,045	665	83	11	28	.....	32	.....	130	66
Cleveland, Ohio	656,975	160	26	2	.....	.....	3	.....	29	15
Detroit, Mich	554,717	185	31	2	1	.....	9	1	19	14
New York, N. Y	5,468,190	1,388	89	10	43	4	14	.....	321	155
Philadelphia, Pa	1,683,664	497	23	2	8	.....	11	.....	106	47
Pittsburgh, Pa	571,984	164	14	.....	12	5	8	.....	16	7
St. Louis, Mo	745,988	178	30	.....	4	.....	12	.....	46	13
From 300,000 to 500,000 inhabitants:										
Buffalo, N. Y	461,335	111	3	.....	1	.....	8	.....	37	10
Cincinnati, Ohio	406,706	96	15	2	.....	.....	8	.....	17	14
Jersey City, N. J	300,133	82	15	.....	.....	.....	2	.....	30	6
Los Angeles, Cal	465,367	81	7	.....	3	1	5	.....	71	14
Milwaukee, Wis	428,062	87	4	.....	2	.....	7	.....	24	5
Minneapolis, Minn	353,460	.....	9	.....	2	.....	.....	.....	.....	.....
Newark, N. J	399,000	105	11	.....	1	.....	6	.....	40	7
New Orleans, La	366,484	114	6	.....	14	.....	1	1	29	14
San Francisco, Cal	[1] 416,912	113	14	1	3	.....	6	.....	.....	11
Washington, D. C	358,679	112	2	.....	3	.....	4	.....	23	11
From 200,000 to 300,000 inhabitants:										
Columbus, Ohio	209,722	68	3	.....	3	.....	4	.....	6	3
Denver, Colo	253,161	17	4	.....	1	.....	.....	.....	.....	12
Indianapolis, Ind	265,578	.....	11	.....	2	.....	5	.....	22	.....
Kansas City, Mo	289,879	77	4	.....	.....	.....	3	.....	5	12
Portland, Oreg	272,833	37	.....	.....	1	.....	1	.....	1	2
Providence, R. I	250,025	74	9	.....	.....	.....	5	.....	1	11
Rochester, N. Y	250,747	54	.....	.....	.....	.....	.....	.....	11	5
St. Paul, Minn	241,999	47	10	.....	.....	.....	2	.....	7	5
From 100,000 to 200,000 inhabitants:										
Birmingham, Ala	174,108	48	4	.....	1	.....	.....	.....	3	6
Bridgeport, Conn	118,434	38	2	.....	6	.....	.....	.....	3	1
Cambridge, Mass	111,669	18	3	.....	6	.....	2	.....	3	1
Camden, N. J	104,349	.....	.....	.....	.....	.....	.....	.....	5	.....
Fall River, Mass	126,904	47	1	.....	4	.....	2	.....	7	.....
Grand Rapids, Mich	125,759	22	.....	.....	2	.....	2	.....	2	3
Hartford, Conn	108,969	41	4	.....	1	.....	.....	.....	7	1
Lowell, Mass	112,124	44	3	.....	3	.....	.....	.....	4	2
Lynn, Mass	100,316	18	2	.....	.....	.....	.....	.....	4	3
Memphis, Tenn	146,113	16	(2)	.....	.....	.....	2	.....	18	8
Nashville, Tenn	115,978	33	3	.....	.....	.....	2	.....	4	2
New Bedford, Mass	114,694	33	.....	.....	2	.....	1	.....	7	3
New Haven, Conn	147,095	.....	1	.....	.....	.....	2	.....	6	1
Omaha, Nebr	185,455	57	4	.....	.....	.....	1	.....	1	.....
Reading, Pa	105,014	19	.....	.....	.....	.....	.....	.....	.....	2
Richmond, Va	154,674	53	2	.....	.....	.....	1	.....	8	5
Salt Lake City, Utah	113,567	20	1	.....	8	.....	5	.....	.....	1
Springfield, Mass	103,216	27	1	.....	.....	.....	1	.....	2	.....
Syracuse, N. Y	152,534	56	5	1	1	.....	2	.....	7	3
Tacoma, Wash	108,034	.....	.....	.....	10	.....	1	.....	5	.....
Toledo, Ohio	187,840	60	5	.....	1	.....	7	.....	.....	4
Trenton, N. J	109,212	.....	5	.....	1	1	2	.....	3	5
Worcester, Mass	160,523	.....	2	.....	.....	.....	1	.....	3	7
From 50,000 to 100,000 inhabitants:										
Akron, Ohio	82,958	.....	8	.....	4	.....	1	.....	5	.....
Atlantic City, N. J	55,806	.....	.....	.....	4	.....	.....	.....	16	.....
Bayonne, N. J	67,582	.....	1	.....	.....	.....	.....	.....	2	.....
Berkeley, Cal	54,879	6	.....	.....	.....	.....	.....	.....	2	.....
Binghamton, N. Y	53,082	18	7	.....	.....	.....	.....	.....	4	3

[1] Population Apr. 15, 1910; no estimate made.

[2] Diphtheria carriers, 2.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Contd.

City Reports for Week Ended Sept. 2, 1916—Continued.

City.	Population as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 50,000 to 100,000 inhabitants—Continued.										
Brockton, Mass	65,746	11							1	1
Canton, Ohio	59,139	11	3						1	
Charleston, S. C	60,427	25	1	1			1			2
Covington, Ky	56,520	9	1				2		3	1
Duluth, Minn	91,913		2				2		1	
El Paso, Tex	51,936	24	2	1	4					2
Fort Worth, Tex	99,528	24								1
Harrisburg, Pa	70,754	19	3		1				5	1
Hoboken, N. J	76,104	19	2						3	1
Johnstown, Pa	66,585	24	2				1		2	
Kansas City, Kans	96,854		4		1				5	2
Lancaster, Pa	50,269		2						3	
Lawrence, Mass	98,197	28							2	
Little Rock, Ark	55,158	21	1						1	
Malden, Mass	50,067	7	1		1				6	
Manchester, N. H	76,959	22	2						1	1
Mobile, Ala	56,536	21	1							3
New Britain, Conn	52,203		1						6	
Oklahoma, Okla	88,158	12					1			1
Passaic, N. J	69,010	20	2						4	2
Pawtucket, R. I	58,156	13	3							1
Portland, Me	63,014	21	2	1			1			
Sacramento, Cal	64,806	16			1				1	
Saginaw, Mich	54,815	14					1			
St. Joseph, Mo	83,974	28							2	3
San Diego, Cal	51,115		4	1			2			3
Schenectady, N. Y	95,265	23			1		1		7	2
Somerville, Mass	85,460	9	1						1	2
South Bend, Ind	67,030	18	4	2						
Springfield, Ill	59,466	11	2							1
Springfield, Ohio	50,804	19							1	1
Troy, N. Y	77,738		1				1		2	3
Wichita, Kans	67,847		2				1		1	1
Wilkes-Barre, Pa	75,218	17	1		4		2		1	2
Wilmington, Del	93,161	41	1				2			
York, Pa	50,543								2	
From 25,000 to 50,000 inhabitants:										
Alameda, Cal	27,031	2								
Auburn, N. Y	36,947	7								
Austin, Tex	34,016	29	1	1						5
Brookline, Mass	31,934	5							2	
Butler, Pa	26,587	8					1			1
Butte, Mont	42,918	30								1
Chelsea, Mass	[1] 32,452	11	1						2	
Chicopee, Mass	28,688	13	1		1				1	
Cumberland, Md	25,564	7					2		1	1
Dubuque, Iowa	39,650				1					
East Orange, N. J	41,144	9			2				3	
Elgin, Ill	27,844	7							1	
Everett, Mass	38,307		2						4	1
Everett, Wash	33,767	6								
Fitchburg, Mass	41,144	9	6		6				4	1
Galveston, Tex	41,076	12	1						1	1
Haverhill, Mass	47,774		1						2	1
Kalamazoo, Mich	47,364	14								
Kenosha, Wis	30,319	7							4	
La Crosse, Wis	31,522	6							1	
Lexington, Ky	39,703	17	7				2		1	4
Lincoln, Nebr	46,028	12	1				1			
Long Beach, Cal	26,012	8	1						1	
Lorain, Ohio	35,662						1			
Lynchburg, Va	32,385	9					1		1	3
Madison, Wis	30,084				1				1	
Medford, Mass	25,737	4	1						1	1
Montclair, N. J	25,550	9					1		2	1
New Castle, Pa	40,351								3	
Newport, Ky	31,722	4								
Newton, Mass	43,085	11			2					

[1] Population Apr. 15, 1910; no estimate made.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Contd.

City Reports for Week Ended Sept. 2, 1916—Continued.

City.	Population as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 25,000 to 50,000 inhabitants—Continued.										
Niagara Falls, N. Y.	36,240	16			2					2
Norristown, Pa.	30,833	8	3	1						1
Orange, N. J.	32,5 4	8	3						1	
Passadena, Cal.	43,859	15			1				1	1
Perth Amboy, N. J.	39,7 5		3				1			
Pittsfield, Mass.	37,580	19	2						1	1
Quincy, Ill.	36,704	11								1
Quincy, Mass.	37,251	7								
Racine, Wis.	45,507	13			4					
Roanoke, Va.	41,929	12	3						2	1
San Jose, Cal.	37,994	9	1	1						
Steubenville, Ohio	26,631	9								
Stockton, Cal.	34,508	19	1						4	2
Superior, Wis.	45,785	3								
Tauton, Mass.	35,957	15							2	
Topeka, Kans.	47,914	9							1	
Waltham, Mass.	30,129	3	1						2	1
Watertown, N. Y.	29,384	7								1
West Hoboken, N. J.	41,893	9	1						1	
Wheeling, W. Va.	43,097	16					1		1	1
Williamsport, Pa.	33,405		2				1			
Wilmington, N. C.	28,704	19					1			4
Zanesville, Ohio	30,496	11								
From 10,000 to 25,000 inhabitants:										
Ann Arbor, Mich.	14,979	11							4	1
Beaver Falls, Pa.	13,316		2							
Cairo, Ill.	15,593	10								
Clinton, Mass.	[1] 13,075	4					1		1	1
Concord, N. H.	22,480	8	3							1
Galesburg, Ill.	23,923	7								1
Kokomo, Ind.	20,312	5								
Long Branch, N. J.	15,057	1	2						1	
Melrose, Mass.	17,106	7							1	1
Morristown, N. J.	13,158	2								
Nanticoke, Pa.	22,441	5					1			
Newburyport, Mass.	15,195	4								
New London, Conn.	20,771	9								
North Adams, Mass.	[1] 22,019	12								
Northampton, Mass.	19,846	9	1		1				2	1
Plainfield, N. J.	23,280	10							1	
Rutland, Vt.	14,674	5			3		1	1		
Sandusky, Ohio	20,100				1					
Saratoga Springs, N. Y.	12,842	5								
Steelton, Pa.	15,337	4	1						2	
Wilkinsburg, Pa.	22,361	6					1			2
Woburn, Mass.	15,862	7								1

[1] Population Apr. 15, 1910; no estimate made.